

	Type	L #	Hits	Search Text	DBs
5	BRS	L5	101	(magnetic same head) and (reflector same (pinned or spacer))	US-PGPUB; USPAT; USOCR
6	BRS	L6	134	(magnetic same head) and (reflector same (copper or silver or Ag or Cu))	US-PGPUB; USPAT; USOCR
7	BRS	L7	214	5 or 6	US-PGPUB; USPAT; USOCR
9	BRS	L10	1	(magnetic same head) and (reflector same (pinned or spacer))	EPO; JPO; IBM_TDB


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "(((magnetic <and> spin <and> valve <and> write <and> read)<in>metadata..."

e-mail

Your search matched 13 of 1166705 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.[» View Session History](#)[» New Search](#)

Modify Search

» Key

IEEE JNL IEEE Journal or Magazine

☐ Check to search only within this results set

IEEE JNL IEEE Journal or Magazine

Display Format: ☒ Citation ☐ Citation & Abstract

IEEE CNF IEEE Conference Proceeding

Select Article Information

IEEE CNF IEEE Conference Proceeding

- ☐ 1. **12 Gb/in² recording demonstration with SV read heads and conventional narrow heads**
 Tsang, C.; Pinarbasi, M.; Santini, H.; Marinero, E.; Arnett, P.; Olson, R.; Hsiao, R.; Willi R.; Wang, R.; Moore, J.; Gurney, B.; Lin, T.; Fontana, R.;
 Magnetics, IEEE Transactions on
 Volume 35, Issue 2, March 1999 Page(s):689 - 694
[AbstractPlus](#) | Full Text: [PDF](#)(588 KB) IEEE JNL

IEEE STD IEEE Standard

- ☐ 2. **NiFe/CoFeB spin-valve heads for over 5 Gbit/in² density recording**
 Kanai, H.; Kane, J.; Yamada, K.; Aoshima, K.; Kanamine, M.; Toda, J.; Mizoshita, Y.;
 Magnetics, IEEE Transactions on
 Volume 33, Issue 5, Sept. 1997 Page(s):2872 - 2874
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(312 KB) IEEE JNL

- ☐ 3. **Greater than 14 Gb/in² spin valve heads**
 Tong, H.C.; Shi, X.; Liu, F.; Qian, C.; Dong, Z.W.; Yan, X.; Barr, R.; Miloslavsky, L.; Zhu Prabhu, P.; Mao, M.; Funada, S.; Gibbons, M.; Leng, Q.; Zhu, J.G.; Dey, S.;
 Magnetics, IEEE Transactions on
 Volume 35, Issue 5, Sept. 1999 Page(s):2574 - 2579
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(500 KB) IEEE JNL

- ☐ 4. **Spin-valves with bias compensation layer**
 Kanai, H.; Yamada, K.; Kanamine, M.; Toda, J.;
 Magnetics, IEEE Transactions on
 Volume 34, Issue 4, July 1998 Page(s):1498 - 1500
[AbstractPlus](#) | Full Text: [PDF](#)(344 KB) IEEE JNL

- ☐ 5. **Single-domain model for pseudo spin valve MRAM cells**
 Everitt, B.A.; Pohm, A.V.;
 Magnetics, IEEE Transactions on
 Volume 33, Issue 5, Sept. 1997 Page(s):3289 - 3291
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(272 KB) IEEE JNL

- ☐ 6. **Characterization of high density spin valve recording heads by novel magnetic f**
 Qian, C.X.; Tong, H.C.; Liu, F.H.; Shi, X.; Dey, S.; Proksch, R.B.; Nielson, P.; Hachfeld
 Magnetics, IEEE Transactions on
 Volume 35, Issue 5, Sept. 1999 Page(s):2625 - 2627

[AbstractPlus](#) | [References](#) | Full Text: [PDF\(388 KB\)](#) IEEE JNL

- ☐ 7. **5 Gb/in² recording demonstration with NiFe/Co₉₀Fe₁₀ spin-valve heads and low-disks**
Mutoh, H.; Kanai, H.; Okamoto, J.; Ohtsuka, Y.; Sugawara, T.; Koshikawa, J.; Toda, J.; Shinohara, M.; Mizoshita, Y.;
Magnetics, IEEE Transactions on
Volume 32, Issue 5, Sept. 1996 Page(s):3914 - 3916
[AbstractPlus](#) | Full Text: [PDF\(356 KB\)](#) IEEE JNL
- ☐ 8. **A new design for an ultra-high density magnetic recording head using a GMR sensor mode**
Rottmayer, R.; Jian-Gang Zhu;
Magnetics, IEEE Transactions on
Volume 31, Issue 6, Nov. 1995 Page(s):2597 - 2599
[AbstractPlus](#) | Full Text: [PDF\(316 KB\)](#) IEEE JNL
- ☐ 9. **Novel spin-valve memory architecture**
Melo, L.V.; Rodrigues, L.M.; Freitas, P.P.;
Magnetics, IEEE Transactions on
Volume 33, Issue 5, Sept. 1997 Page(s):3295 - 3297
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(388 KB\)](#) IEEE JNL
- ☐ 10. **Bit-selective read and write with coincident current scheme in spin-valve/diode structure**
Boeve, H.; Das, J.; Bruynseraede, C.; De Boeck, J.; Borghs, G.;
Electronics Letters
Volume 34, Issue 18, 3 Sept. 1998 Page(s):1754 - 1755
[AbstractPlus](#) | Full Text: [PDF\(268 KB\)](#) IEEE JNL
- ☐ 11. **Dual-element GMR/inductive heads for gigabits density recording using CoFe spin-valves**
Yoda, H.; Iwasaki, H.; Kobayashi, T.; Tsutai, A.; Sahashi, M.;
Magnetics, IEEE Transactions on
Volume 32, Issue 5, Sept. 1996 Page(s):3363 - 3367
[AbstractPlus](#) | Full Text: [PDF\(1036 KB\)](#) IEEE JNL
- ☐ 12. **Highly defined narrow track write heads fabricated by focused ion beam trimming and refilling process**
Ishi, T.; Nonaka, Y.; Matsubara, T.; Ishiwata, N.;
Magnetics, IEEE Transactions on
Volume 35, Issue 5, Sept. 1999 Page(s):2541 - 2543
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(376 KB\)](#) IEEE JNL
- ☐ 13. **Rigid disk medium for 20 Gb/in² recording demonstration**
Sato, K.; Yoshida, Y.; Yamagishi, M.; Ueno, H.; Akimoto, H.; Abarra, E.N.; Kanai, H.; Uemoto, I.; Uematsu, Y.;
Magnetics, IEEE Transactions on
Volume 35, Issue 5, Sept. 1999 Page(s):2655 - 2657
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(264 KB\)](#) IEEE JNL

